

# Safety Data Sheet: PREMALUBE RED #1 WG

Supersedes Date 09/20/2013

Issuing Date 02/18/2014

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** PREMALUBE RED #1 WG  
**Recommended use** Lubricant  
**Information on Manufacturer**  
CERTIFIED LABS, DIV. OF NCH CORP.  
BOX 152170  
IRVING, TEXAS 75015

**Product Code** 4570  
**Chemical nature** Petroleum distillates mixture  
**Emergency Telephone Number**  
CHEMTREC® 800-424-9300  
**Telephone inquiry**  
972-579-2477

## 2. HAZARD IDENTIFICATION

**Color** Red

**Physical State** Grease

**Odor** Mild Petroleum

### GHS

#### Classification

##### Physical Hazards

None

##### Health Hazard

Serious Eye Damage/Eye Irritation

Category 2B

##### Other hazards

None

#### Labeling

##### Signal Word

**WARNING**

##### Hazard Statements

H320 - Causes eye irritation

##### Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 - If eye irritation persists, get medical attention.

20 % of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	64742-52-5	60-100
Aluminum benzoate fatty acid complex	82980-54-9	7-13
Antimony dialkyldithiocarbamate	15890-25-2	3-7
Barium dinonylnaphthalene sulfonate	25619-56-1	1-5
Styrene-Ethylene/Propylene Block Copolymer	68648-89-5	1-5

## 4. FIRST AID MEASURES

#### General advice

Avoid contact with skin, eyes and clothing.

#### Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.

#### Skin Contact

Wipe up with absorbent material (e.g. cloth, fleece). Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.

#### Inhalation

No hazards which require special first aid measures.

#### Ingestion

Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth.

#### Notes to physician

Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

**Flash Point** > 330 °F / > 166 °C  
**Flammability Limits in Air %** Not applicable.

**Method** Open cup  
**Upper** No data available **Lower** No data available

**Suitable Extinguishing Media**

Water spray. Foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Specific hazards arising from the chemical**

Material can create slippery conditions.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<b>NFPA</b>	<b>Health 1</b>	<b>Flammability 1</b>	<b>Instability 0</b>
<b>HMIS</b>	<b>Health 1</b>	<b>Flammability 1</b>	<b>Instability 0</b>

**6. ACCIDENTAL RELEASE MEASURES**

<b>Personal Precautions</b>	Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
<b>Environmental Precautions</b>	Do not flush into surface water or sanitary sewer system.
<b>Methods for Containment</b>	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
<b>Methods for Cleaning Up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)
<b>Neutralizing Agent</b>	Not applicable.

**7. HANDLING AND STORAGE**

<b>Handling</b>	Avoid contact with skin, eyes and clothing.			
<b>Storage</b>	Store in original container. Keep containers tightly closed in a cool, well-ventilated place.			
<b>Storage Temperature</b>	<b>Minimum</b>	10 °F / -12 °C	<b>Maximum</b>	120 °F / 49 °C
<b>Storage Conditions</b>	<b>Indoor</b>	X	<b>Outdoor</b>	X
			<b>Heated</b>	x
			<b>Refrigerated</b>	x

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	TWA: 5 mg/m <sup>3</sup> ; STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 2,500 mg/m <sup>3</sup> ; STEL 10 mg/m <sup>3</sup> ; TWA: 5 mg/m <sup>3</sup>
Aluminum benzoate fatty acid complex	No data available	No data available	No data available
Antimony dialkyldithiocarbamate	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> ; TWA: 0.5 mg/m <sup>3</sup>
Barium dinonylnaphthalene sulfonate	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
Styrene-Ethylene/Propylene Block Copolymer	No data available	No data available	No data available

<b>Engineering Measures</b>	Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
<b>Personal Protective Equipment</b>	
<b>Eye/Face Protection</b>	Safety glasses with side-shields.
<b>Skin Protection</b>	For prolonged or repeated contact, use protective gloves with appropriate chemical resistance.
<b>Respiratory Protection</b>	In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
<b>General Hygiene Considerations</b>	Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State</b>	Grease	<b>Viscosity</b>	Semi-Solid
<b>Color</b>	Red	<b>Odor</b>	Mild Petroleum
<b>Odor Threshold</b>	Not applicable	<b>Appearance</b>	Transparent
<b>pH</b>	Not applicable	<b>Specific Gravity</b>	0.91
<b>Evaporation Rate</b>	0 (Butyl acetate=1)	<b>Percent Volatile (Volume)</b>	0.2
<b>VOC Content (%)</b>	0.2	<b>VOC Content (g/L)</b>	2
<b>Vapor Pressure</b>	0.01 mmHg @ 70°F	<b>Vapor Density</b>	5.8 (Air = 1.0)
<b>Solubility</b>	Negligible	<b>n-Octanol/Water Partition</b>	No data available
<b>Melting Point/Range</b>	No data available	<b>Decomposition Temperature</b>	No data available
<b>Boiling Point/Range</b>	Not applicable °F / 232 °C	<b>Flammability (solid, gas)</b>	No data available
<b>Flash Point</b>	> 330 °F / > 166 °C	<b>Method</b>	Open cup
<b>Autoignition Temperature</b>	No information available.		
<b>Flammability Limits in Air %</b>	Not applicable.	<b>Upper</b>	No data available
		<b>Lower</b>	No data available

## 10. STABILITY AND REACTIVITY

<b>Chemical Stability</b>	Stable. Hazardous polymerization does not occur.
<b>Conditions to Avoid</b>	None known
<b>Incompatible Products</b>	Strong oxidizing agents, Strong acids, Strong bases.
<b>Hazardous Decomposition Products</b>	Carbon oxides, Nitrogen oxides (NOx), Sulfur oxides, Aldehydes, Ketones.
<b>Possibility of Hazardous Reactions</b>	Hazardous polymerization does not occur

## 11. TOXICOLOGICAL INFORMATION

## Product Information

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 3, 2009):

<b>Oral LD50</b>	No information available
<b>Dermal LD50</b>	No information available
<b>Inhalation LC50</b>	
<b>Gas</b>	No information available
<b>Mist</b>	No information available
<b>Vapor</b>	No information available

**Principle Route of Exposure** Skin contact, Eye contact.

**Primary Routes of Entry** None known

**Acute Effects**

**Eyes** May cause eye irritation.

**Skin** May cause skin irritation.

**Inhalation** Low hazard for usual industrial or commercial handling.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Chronic Toxicity**

Prolonged skin contact may defat the skin and produce dermatitis.

**Target Organ Effects**

Skin, Eyes, Respiratory system, Cardiovascular system.

**Aggravated Medical Conditions**

Skin disorders, Heart disease.

## Component Information

**Acute Toxicity** None known

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	> 5000 mg/kg ( Rat )	> 5000 mg/kg (Rabbit)	no data available	no data available	no data available
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Antimony dialkyldithiocarbamate	no data available	no data available	no data available	no data available	no data available
Barium dinonylnaphthalene sulfonate	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	respiratory system
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Antimony dialkyldithiocarbamate	no data available	no data available	no data available	no data available	respiratory system, CVS, skin, eyes
Barium dinonylnaphthalene sulfonate	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available

**Carcinogenicity**

Component	ACGIH	IARC	NTP	OSHA	Other
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	not applicable	not applicable	not applicable	not applicable	not applicable
Aluminum benzoate fatty acid complex	not applicable	not applicable	not applicable	not applicable	not applicable
Antimony dialkyldithiocarbamate	not applicable	not applicable	not applicable	not applicable	not applicable
Barium dinonylnaphthalene sulfonate	not applicable	not applicable	not applicable	not applicable	not applicable
Styrene-Ethylene/Propylene Block Copolymer	not applicable	not applicable	not applicable	not applicable	not applicable

## 12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	EC50> 1000 mg/L 48 h	N/A
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	N/A
Antimony dialkyldithiocarbamate	no data available	no data available	no data available	no data available	N/A
Barium dinonylnaphthalene sulfonate	no data available	no data available	no data available	no data available	N/A
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	N/A

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

## 13. DISPOSAL CONSIDERATIONS

Product Disposal

Dispose of in accordance with local regulations.

Container Disposal

Empty containers should be taken for local recycling, recovery, or waste disposal.

## 14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

## 15. REGULATORY INFORMATION

Inventories

TSCA Complies

DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Antimony dialkyldithiocarbamate	15890-25-2	3-7	1.0
Barium dinonylnaphthalene sulfonate	25619-56-1	1-5	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	No	No	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	Not applicable	Not applicable
Aluminum benzoate fatty acid complex	Not applicable	Not applicable
Antimony dialkyldithiocarbamate	Not applicable	Not applicable
Barium dinonylnaphthalene sulfonate	Not applicable	Not applicable
Styrene-Ethylene/Propylene Block Copolymer	Not applicable	Not applicable

**16. OTHER INFORMATION**

<b>Prepared By</b>	Devon Kebodeaux
<b>Supersedes Date</b>	09/20/2013
<b>Issuing Date</b>	02/18/2014
<b>Reason for Revision</b>	No information available.
<b>Glossary</b>	No information available.
<b>List of References.</b>	No information available.

**CERTIFIED LABS, DIV. OF NCH CORP.** assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.